

Perfect size that maximize your aspiration





Perfect-size of tiles and modular formats for any flooring or wall, but also for dressing a design. with everything can be made, from the walls of a skyscraper to a garden table. **Our** Smart Solid Surface so innovative and versatile that they break down the barriers between surfaces for architecture and furnishing, between indoor and outdoor use. The freedom to design grows, with solutions that were impossible until yesterday.

SHADES OF NATURE

WITH MATT AND GLOSSY FINISH

Eight colours, a single modular 800x2400mm size, a selection of Natural shades reflect today's taste. Make way for colour, for shades, for glossy and matt surfaces, with cracking effects and for decorations that in the form of combinations, matches, lights and shadows, play with lively elegance within space.

















Variant options for Maximize your style

An old soul, a modern styling. The veins and fascination of marble are unchanged, what changes is the space, which is more modern and releases the creative identity of the material in variant application like reception table, stair case, Bath tub, Furniture, Etc, through a contemporary perspective. Eight colours, two surfaces (glossy and matt) available in 800x2400mm size elegantly emphasize the designs, establishing an inseparable bond between styling and architecture.







APPLICATION AREAS:



Kitchen

Unit Top



Table Top







Door/window Step & Riser Frame

Bath Tub









Furnitures Wash Basin Top Wash Basin Flooring Heavy Traffic Area



TILE THAT BUILT TO PERFORME

Stunning Visual Paired with touchable textures that don't freeze, fade or crack.

FEATURES:

Making the large size slab tiles in various size, range and with bigger, durable & natural surface you have ever seen.

Nothing can be compared with beauty of Our Fullbody Tiles.



High durable



Acid resistance



Stain resistance



Easy to



Dimensional stability




Slip resistance




Eco friendly



Maintenance free











Herm the perfection in every aspect















define the — perfection in every aspect

Grafito Chips













define the — perfection in every aspect















Lefune the perfection in every aspect

Ferro Chips





15mm


Fullbody

800x2400mm







define the — perfection in every aspect









Fullbody 15mm 800x2400mm







Herm the perfection in every aspect















define the perfection in every aspect

Mocca Chips













lefune the — perfection in every aspect

Fullbody 15mm 800x2400mm





TYPOLOGY THICKNESS SIZE Fullbody 800x2400mm 15mm

Face 1







IMPERIAL WHITE

Glossy





















800x2400mm **Fullbody** 15mm





Imperial White

define the perfection in every aspect


800x2400mm **Fullbody** 15mm

Face 1



Face 2





GALAXY STUTUARIO

Glossy




















TYPOLOGY THICKNESS SIZE Fullbody

15mm

800x2400mm





Galaxy Stutuario

define the perfection in every aspect

TYPOLOGY THICKNESS SIZE Fullbody 800x2400mm 15mm

Face 1



Face 2





ATLANTIC WHITE

Glossy






















Lefuncthe — perfection in every aspect


Atlantic White

TYPOLOGY THICKNESS SIZE Fullbody 800x2400mm 15mm

Face 1



Face 2





HELIX WHITE

Glossy


























define the — perfection in every aspect


Helix White

Face 1 Face 2 Face 3




Glossy

PORTORO GOLD






define the perfection in every aspect







Fullbody 15mm 800x2400mm





lefue the — perfection in every aspect


Face 1 Face 2 Face 1




Glossy

THUNDER BLACK

Fullbody 15mm 800x2400mm







Thunder Black

define the — perfection in every aspect

Face 1







SAHARA BLACK

Glossy








Herm the perfection in every aspect

Fullbody 800x2400mm 15mm

Face 1



Face 2





EMRALD QUARTZ

Glossy





















Fullbody 15mm 800x2400mm





define the perfection in every aspect

Face 1





MARINE BLACK

Glossy





15mm


Fullbody

800x2400mm






Lether the - perfection in every aspect



MUSHROOM BLACK

Glossy






Fullbody 15mm 800x2400mm






fifm the perfection in every aspect

Mushroom Black





Fullbody 15mm 800x2400mm





Lefun the perfection in every aspect

TECHNICAL SPECIFICATION OF OUR FULL BODY TILE

Small Colour Differences

Lead and Cadium Release in mg/dm2

Resistance to Stain

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Deviation in Length	ISO 10545-2	31mm	Ave. + 0.28 mm Ave 0.00 mm
Deviation in Width	ISO 10545-2	31 mm	Ave. + 0.21 mm Ave 0.00 mm
Deviation in Thickness	ISO 10545-2	3 0.5 mm	Ave. + 0.00 mm Ave 0.16 mm
Straightness of Sides	ISO 10545-2	3 0.8 mm	Max. + 0.18 mm Max 0.20 mm
Rectangularity	ISO 10545-2	3 0.8 mm	Max. + 0.20 mm Max 0.22 mm
Surface Flatness	ISO 10545-2	3 1.8 mm	Max + 0.14 mm Max - 0.00 mm
Surface Quality	ISO 10545-2	Min. 95%	Min. 99%
	PHYSICAL PROP	ERTIES	
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
ater Absorption	ISO 10545-3	0.50%	Avg. 0.0606 %
dulus of Rapture(N/mm2)	ISO 10545-4	min 35	Avg. 43.11 N/mm2
eaking Strength(N)	ISO 10545-4	>7.5mm	6270.45 N
ERMAL SHOCK RESISTANCE 145.C 10cycle	ISO 10545-9	10 cycle, Min	Conform
-Efficent of Linear Thermal Expansion	ISO 10545-8	9x10 6 Max	4,84x10 6
ep Abrasion Resistance	ISO 10545-6	Max 175mm	123mm3
ratch Hardness of Surface	Is-13630-13	Min 5 Moh's	5 Moh's Scal
k Density (g/cc)		2.2 Min	2.2748g/cc
isture Expansion(mm/m)	ISO 10545-10	0.02mm/m max	No Expansion
pact Resistance-Coefficent of Restitution	ISO 10545-5	0.55 Min.	0.57 Min

ISO 10545-16

ISO 10545-14

ISO 10545-15

Min Class-3

0.1mg/dm2

No Difference

0.00mg/dm2

Class-5